



## GENERAL SPECIFICATIONS

• L.O.A*:	7,09 - 8,17m	23'3" - 26'10"
• Hull length:	6,96m	22'10"
• Overall width:	2,53m	8'4"
• Beam:	2,50m	8'2"
• Draught (min/max):	0,50 - 0,90m	1'5" - 2'11"
• Air draft:		
- standard:	1,91m	6'3"
- Maximum:	2,55m	8'4"
• Light displacement (EC):	2 156kg	4,752 lbs
• Light displacement without engine:	1 776kg	3,914 lbs
• Fuel tank:	340L	90 US Gal
• Water tank (optional extra):	80L	21 US Gal
• Max engine certification:	350 HP	350 HP
• Driving shaft length (Single engine):	XXL / 762mm	30"

\* Length given without engine

## ARCHITECTS / DESIGNERS

- Hull development: BENETEAU Powerboats
- Designers: Style & Design

## EC CERTIFICATION

- Category C - 10 people
- Category D - 10 people

## AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



BENETEAU

# Flyer 8 SPACEdeck

Provisional Specifications - Europe

## STANDARD EQUIPMENT

### CONSTRUCTION

---

#### HULL

Composition:

- Polyester sandwich
- Injection moulded hull
- White gel coat
- AIRSTEP patented hull®

#### DECK

Composition:

- Polyester sandwich
- White gel coat

### DECK EQUIPMENT

---

#### MOORING LINES - MOORING

- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminum, 200 mm / 8"
- Winching ring on bow
- 2 Chain plate on aft transom
- Stainless steel bow roller + 1 Cleat

#### SAFETY ON DECK

- Open front pulpit in black lacquered stainless steel
- 2 Handrails of 600 mm in black lacquered stainless steel on each freeboard
- 2 Handrails of 600 mm in black lacquered stainless steel on cockpit bench back

#### DECK

- 2 3 people forward seats with backrest
- 2 Storage lockers
- 2 people seat, in front of the consol, with handrail and backrest
- 2 Cup holders

#### COCKPIT

- Wide and deep self-bailing cockpit (1,83 M / 6' length and 2,15 M / 7'1" width)
- Aft seat for 4 persons convertible into a sunbath (Upholstery depending on version)
- Under banquette: Stowage and location for BIB
- 1 Port cockpit locker + 1 Starboard cockpit locker
- Security door
- Large lockable cockpit locker
- (340 L / 90 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- Locked storage on starboard aft platform
- All-round light on samson post
- Navigation lights (Port and starboard)

### STEERING STATION

- Windscreen PMMA light grey tinted
- Black lacquered stainless steel handrail around the windscreen
- Center consol
- Dashboard with location for electronics, 9" screen, rpm and trim
- Fuel gauge
- 12 V socket
- USB socket
- Sports steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- Hydraulic steering
- Pilot and co-pilot seats with Bolster function - 360° swivelling and adjustable (Upholstery depending on version)

### INTERIOR

---

- Headroom = 1,62m / 5'4"
- Alpi grey walnut woodwork, UV 7 gloss
- Brown oak laminated floors
- Cabin access through sliding door in translucent grey PMMA, Lock with key
- Functional storage lockers
- Dedicated position for marine WC (option)
- Ceiling light
- Battery switch

### ELECTRICITY

---

- 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

### PLUMBING

---

- 1 Manual bilge pump
- 1 Electric bilge pump
- Water unit
- Cold water pressured cockpit shower hose, soft water tank in the back of the cockpit locker (80L / 21 US Gal)
- Water filler located in the port freeboard

### MISCELLANEOUS ITEMS

---

- Smoke detector



## VERSION

### STANDARD UPHOLSTERY VERSION \_\_\_\_\_

- Marlin Auster upholstery
  - Forward saloon
  - Cockpit aft bench seat
  - Pilot and copilot Bolster seat
  - Stainless steel pulpits

### ELEGANCE UPHOLSTERY VERSION \_\_\_\_\_

- Silvertex Plata + PVC Cognac upholstery
  - Forward saloon
  - Cockpit aft bench seat
  - Pilot and copilot Bolster seat
  - Black pulpits

## TRIM LEVEL & PACKS

### TRIM LEVEL \_\_\_\_\_

#### CONFORT TRIM LEVEL

- Extended swim platform
- Teak cockpit table
- Offshore Compass

### PACKS \_\_\_\_\_

#### ELECTRONIC PACK

- GARMIN Echomap UHD 92sv Multifunction screen (chart not included)
- GARMIN GT23-TM Sensor

#### ELECTRONIC - UPGRADED PACK

- GARMIN GPSMAP 1223 xsv Multifunction screen (chart not included)
- GARMIN GT23-TM Sensor

#### SOUND PACK

- Fusion MS-RA70N
- 50 W speakers x 4

#### FISHING PACK

Fishing station (replacing the aft bench seat)

- 5 Rod holders
- 3 Fish tanks, including 1 live storage tank with sea water circuit
- Foldaway bench seat (Upholstery depending on version)
- Stowage compartments beneath the fishing position



## OPTIONS

### INTERIOR ACCOMMODATION / ONBOARD COMFORT

---

- Fridge in the cabin (42L / 11 US Gal)

### EXTERIOR OPTIONS

---

- Complete mooring kit
- Electric windlass - 12V + Bow roller hinge + Safety
- Leaning post with sink and work top (Upholstery depending on version)
- 2 Foldable seats at freeboard (Upholstery depending on version)
- Stainless steel ski mast
- Bowsprit without swim ladder
- Front bath ladder on bowsprit (requires Bow nose option)
- Graphite T-Top
- Pilot protection for T-Top
- Graphite bimini
- Graphite forward sun awning extension (Bimini option required)  
(cannot be used while cruising)
- Cover of console + leaning post
- Console cover + pilot and co-pilot seat
- Rigid fore sunbed (Upholstery depending on version)
- Horn

### ELECTRICAL SYSTEM

---

- Shore power socket (220V) + Battery charger
- LED courtesy light in cockpit

### WATER SYSTEM

---

- Marine toilet + 88 L / 23 US Gal black water tank, in the cockpit locker + Gauge
- Fresh water electric toilet
- Electric deck washing pump

### ENGINE

---

- Bow thruster
- LENC0 electric trim tabs
- Suzuki mecanic keyless pre-rigging (200-350 CV/HP)
- Suzuki electronic keyless pre-rigging (200-350 CV/HP)
- Honda mecanic pre-rigging (200-350 CV/HP)
- Mercury Verado electronic pre-rigging (250-350 CV/HP)
- Yamaha mecanic pre-rigging (200-350 CV/HP)
- Yamaha electronic pre-rigging (200-350 CV/HP)